

# T-VAC<sup>TM</sup> track

manual arm



Powerful, towable, and compact (1m<sup>3</sup>) tracked VAC-EX unit with manual hose support arm.

Optional on-board compressor available for filter cleanliness and AIR-EX lance use.

**PATENT NO.**  
**GB2572193**

## EXCAVATE & ELIMINATE UTILITY STRIKES

**VAC-ex<sup>TM</sup>**  
**.com**  
New Zealand



**VAC-ex<sup>TM</sup>**  
**.com**

6-10 Parkway Drive,  
Mairangi Bay, Auckland, New Zealand

Phone: (+64) 09 443 2436

e: [info.nz@vac-ex.com](mailto:info.nz@vac-ex.com) [www.vac-ex.nz](http://www.vac-ex.nz)

**YR** Youngman  
Richardson

Coulman Road Industrial Estate, Thorne  
Doncaster, DN8 5JU, UK

t: +44 (0)1302 235 099

e: [info@vac-ex.com](mailto:info@vac-ex.com) [www.vac-ex.com](http://www.vac-ex.com)

TVAC2/TR/M/23/V1/NZ

## TECHNICAL DATA

### T-VAC 2 track - manual arm

Length	3850 mm (151.5 in)
Width	1775 mm (69.8 in)
Height	2250 mm (88.5 in)
Height (skip at max. tip)	2580 mm (101.5 in)
Weight	2665 kg** (5875.3 lbs)
Debris Skip Capacity	1.0 m <sup>3</sup> (220 gal)
Hose Inlet ø	150 mm (6 in)
Compressor*	145 psi (10 bar)
HP Water*	2000 psi (137 bar)
Generator*	5 kVA
Vacuum	Twin turbine
Hydraulic PTO A*	25 l / min @ 2175 psi (6.6 gpm @ 150 bar)
Hydraulic PTO B*	50 l / min @ 2175 psi (13.2 gpm @ 150 bar)

\*Optional equipment

\*\*Including optional TV2-ARM-K2

Machine weight can vary depending on specification.

Under our policy of continuous improvement, we reserve the right to change specifications and design without prior notice. The illustrations do not necessarily show the standard version of the machine.


For further information on the T-VAC 2 track (manual arm) simply scan the QR codes:



[www](http://www.vac-ex.com)  
PRODUCT PAGE



  
BROCHURE PDF



  
PRODUCT VIDEO



  
QUOTE REQUEST



  
HIRE ENQUIRY



  
USED EQUIPMENT



  
CASE STUDIES

**VAC-EX**  
.com