



Husqvarna DM 230

Handheld electric core drill with attractive design and functional ergonomics. The motor is designed with a pistol grip giving you greater control. Handheld core drilling up to 80 mm or drilling with stand up to 150 mm. Suitable for light applications such as ventilation, plumbing pipes and electrical sockets and cables. DM 230 is an excellent choice for professionals as well as semi-professionals.



Overload protection

The machine uses pulsation to warn you of an approaching overload. If the load is not reduced the motor will shut off, to prevent overheating. Elgard™ increases productivity and extends product life.





Durable and ergonomic design Durable and shock-proof, designed to protect the electronics. Easy to carry and install thanks to low weight and

ergonomic design.

Reliable gearbox

Watercooled 3 speed gearbox for optimal drilling performance and longer service intervals.



FEATURES

- The machine uses pulsation to warn you of an approaching overload. If the load is not reduced the motor will shut off, to prevent overheating. Elgard™ increases productivity and extends product life.
- The water-cooled 3-speed gearbox provides both long service intervals and optimal drilling performance.
- To facilitate making a starter hole, speed is reduced by half using the Smart Start® button.
- Durable and shock-proof, designed to protect the electronics. Easy to carry and install thanks to low weight and ergonomic design.

- Softstart[™] maintains high productivity even with normal fuses.
- Easy to switch between dry and wet drilling
- The machine uses pulsation to warn you of an approaching overload. This increases productivity and extends product life.
- To facilitate making a starter hole, speed is reduced by half using the Smart Start® button.
- An electronic current limiter for soft starts with normal fuses. This gives you a smooth start with high productivity.
- Drilling for installation of stair rails, fences, etc.
- Drilling ventilation channels and holes for pipes and cables.

Technical Specifications	
MOTOR	
Electronic product	Yes
Frequency	50 Hz
Voltage	220-240 V
Rated input power	1.85 kW
DRILLING EQUIPMENT	
Drill bit diameter handheld, max	80 mm
Drill bit diameter with stand, max	150 mm
Recommended drill bit diameter, min	0 mm
SPECIFICATIONS	
Water pressure, max	8 bar
Mounting collar	60 mm
Spindle thread, inner	G 1/2"
Spindle thread, outer	1 1/4" 7 UNC
TRANSMISSION	
Number of gearbox speeds	3
DIMENSIONS	
Water connector	G 1 / 4"
Weight	7 kg
Product size length	438 mm
Product size width	104 mm
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	108 dB(A)
Sound power level, measured	107 dB(A)
Sound pressure level at operators ear	93 dB(A)
PACKAGING	
Packaging length	665 mm
Packaging width	155 mm
Packaging height	480 mm
Packaging volume	49.5 dm ³

Auckland Head Office 6-10 Parkway Drive, Mairangi Bay, Auckland Phone: (+64) 09 443 2436 Email: sales@yrco.co.nz Auckland, Mt Wellington 20L Sylvia Park Road, Mt Wellington, Auckland Phone: (+64) 09 553 5470 Email: salesmtwell@yrco.co.nz Wellington 8 Broken Hill Road, Porirua, Wellington Phone: (+64) 04 212 2456 Email: saleswell@yrco.co.nz

Christchurch 20 Nga Mahi Road, Sockburn, Christchurch Phone: (+64) 03 341 6923 Email: saleschch@yrco.co.nz

