

Forward Plate Compactors

For base course material and asphalt. Models fitted with a 'vibration absorbing system' handle. Water tank available for all models. From 50kg up. Battery, petrol & diesel models available.





YRCO.CO.NZ

Mikasa **Forward Plate Compactors**

MVC40H*

Ideal for smaller compaction jobs, landscape paving, narrow trench work and general light compaction work.

Features:

- Folding handle
- Oil bathed vibration unit
- Enclosed belt guard
- Honda petrol engine
- Lifting frame
- Detachable water tank (optional)*

MVC50H*

Ideal for light compaction work including driveways, garage floors, asphalt work where a high polish finish is required.

Features:

- Folding handle
- Oil bathed vibration unit
- Enclosed belt guard
- Honda petrol engine
- Lifting frame
- Detachable water tank (optional)*

MVCF60HVASC*

Perfect for sub-base compaction, asphalt, paving and trench reinstatement. Fitted with the vibration absorbing handle.

Features:

- Honda petrol engine
- Double-skinned base
- Oil bathed vibration unit
- Enclosed belt guard
- Lifting frame
- VAS anti-vibration absorption system
- Wheel kit
- Detachable water tank (optional)*

MVCe60VASC*

Battery-powered for medium - high compaction jobs with zero emissions. Ideal for confined spaces where air quality is an issue.

Features:

- Honda battery powered
- Double-skinned base
- Enclosed belt guard
- Lifting frame
- VAS anti-vibration absorptions system
- Wheel kit
- Zero emissions





Honda Petrol Engine



Oil Bathed Vibration Unit



Lifting Frame



Makasa

HONDA

POWERED by

Folding Handle



Enclosed Belt Guard



*Detachable Water Tank





Honda Petrol Engine or Battery*



Oil Bathed Vibration Unit



Enclosed Belt Guard








Double-Skinned Base



Lifting Frame













Battery







olding andl

Mikasa Forward Plate Compactors

MVCF80HVASC*

Ideal for larger jobs for the general contractor and civil engineering work. Fitted with the vibration absorbing handle.

Features:

- Honda petrol engine
- Double-skinned base
- Oil bathed vibration unit
- Enclosed belt guard
- Lifting frame
- VAS anti-vibration absorption system
- Wheel kit
- Detachable water tank (optional)*



ittec



3 Year (36 Months) Warranty* on Mikasa Forward Plate Compactors

МУСТ90НС*

For heavier compaction jobs and asphalt polishing where a premium job and finish is required. Designed with hot mix in mind.

Features:

- Honda petrol engine
- Cast base
- Oil bathed vibration unit
- Enclosed belt guard
- Lifting frame
- Water tank
- Wheel kit
- Hour meter
- Optional rubber base



Optional Rubber Mat



Enclosed Belt Guard

Specifications:



at Cast Base



Lifting Frame



Oil Bathed Vibration Unit



Water Tank



Wheel Kit

MODEL WEIGHT PLATE (mm) CENT FORCE FREQ. ENGINE PETROL HONDA MVC40H 50KG 420 X 292 RECOIL START 7.2 kN 6200vpm GX100 3Hp HONDA MVC50H 60KG 460 X 345 9.8 kN **RECOIL START** 5800vpm GX120 4.0Hp HONDA MVCF60HVASC 70KG 570 X 350 10.1 kN RECOIL START 5600vpm GX120 4.0Hp HONDA MVCe60VASC 88KG 570 X 350 10.1 kN ELECTRIC START 5600vpm GXE2.0 HONDA MVCF80HVASC 81KG 570 X 450 13.7 kN RECOIL START 5600vpm GX160 5.0Hp HONDA MVCT90HC 91KG 530 X 500 16.0 kN 6000vpm RECOIL START GX160 5.0Hp

Mikasa Product Range Tamping Rammers







MTR40H (Petrol) Weight 46kg Plate (mm) 270x150 Impact force 5.4kN Honda GX100 3.0hp

MTX50H (Petrol) Weight 60kg Plate (mm) 340x265 Impact force 10.3kN

Honda GX100 3.0hp



MTX60E (Petrol) Weight 64kg Plate (mm) 340x265 Impact force 13.6kN Honda GX100 3.0hp



Battery

MTe55 (Battery) Weight 75kg Plate (mm) 340x265 Impact force 10.8kN Honda GXE2.0



MTX70E (Petrol) Weight 75kg Plate (mm) 340x285 Impact force 14.9kN Honda GX100 3.0hp



MTX85DY(Diesel) Weight 93kg Plate (mm) 340x285 Impact Force 15.7kN Honda GXR120 3.6hp

Mikasa Product Range Reversible Plate Compactors



MVHR60H A (Petrol) Weight 68kg Plate (m) 480x350 Cent. force 15.0kN Honda GX120 4hp Start Recoil *Comes with water tank



 MVH208 Series (Petrol or Diesel)

 Weight
 240kg

 Plate (mm)
 720X500

 Cent. force
 37.0kN

 Hatz/Yanmar
 6.7hp

 Start
 Electric/Recoil



MVHeR60 (Battery) Weight 81kg Plate (mm) 480x350 Cent. force 12.0kN Honda GXE2.0 Start Electric



 MVH308 Series (Petrol or Diesel)

 Weight
 325/360kg

 Plate (mm)
 860x445/600

 Cent. force
 45.0kN

 Hatz/Yanmar
 9.0hp

 Start
 Electric/Recoil



MVH128GH (Petrol) Weight 122kg Plate (mm) 590x400 Cent. force 23.5kN Honda GX160 5.0hp Start Recoil



MVH408 Series (Diesel) Weight 423kg Plate (mm) 900x500/650 Cent. force 55.0kN Hatz/Yanmar 9.0hp Diesel Start Electric/Recoil



MVH158GH (Petrol) Weight 148kg Plate (mm) 700x430 Cent. force 27.0kN Honda GX200 6.5hp Start Recoil



 MVH508 Series (Diesel)

 Weight
 536kg

 Plate (mm)
 900x500/650

 Cent. force
 65.0kN

 Hatz
 11.9hp Diesel

 Start
 Electric/Recoil



COMPACTION METER The new Mikasa 'Compass' compaction meter is a measuring and display system for continuous compaction control lacated in clear view of the operator. Available on 308,408 & 508 Models.



DIGITAL DISPLAY Hourmeter - allows accurate tracking of hours and maintenance intervals. Tachometer - displays engine RPM while in operation.

PARTS AND SERVICE

We are proud of the back-up service we offer to customers. The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.

Auckland, Head Office 6-10 Parkway Drive, Mairangi Bay, Auckland (+64) 09 443 2436 sales@yrco.co.nz

ice Auckland, Mt Wellingtor 20L Sylvia Park Road, Mt Wellington, Auckland (+64) 09 553 5470 salesmtwell@yrco.co.nz

 At Wellington
 Waikato

 Park Road,
 3/31 Chafer Place

 con,
 Te Rapa,

 Hamilton
 Hamilton

 3 5470
 (+64) 07 595 0245

 Waikato
 Wellington

 3/31 Chafer Place,
 8 Broken Hill Road,

 Te Rapa,
 Porirua,

 Hamilton
 Wellington

 (+64) 07 595 0245
 (+64) 04 212 2456

 saleswaikato@yrco.co.nz
 saleswell@yrco.co.nz

Christchurch 20 Nga Mahi Road, Sockburn, Christchurch (+64) 03 341 6923 saleschch@yrco.co.nz

