



## Flextool Hand Tools



### POINTED TROWELS

Pointed trowels are used for trowelling concrete floors and other general concrete work. The pointed nose of the trowel provides flexibility when trowelling around corners and protrusions in the concrete whilst also reducing marks left by the. Flextool pointed trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool pointed trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available in both ProSoft rubber grip and solid moulded plastic handles.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4P1001-UNIT	Pointed Trowel - ProSoft Handle	120	365	6
FT4P1009-UNIT	Pointed Trowel - ProSoft Handle	100	355	6
FT4P1091-UNIT	Pointed Trowel - ProSoft Handle	115	405	6
FT4P1092-UNIT	Pointed Trowel - ProSoft Handle	115	450	6
FT4P1093-UNIT	Pointed Trowel - ProSoft Handle	115	500	6
FT41009P-UNIT	Pointed Trowel - Plastic Handle	100	355	6
FT41091P-UNIT	Pointed Trowel - Plastic Handle	115	405	6



ProSoft Handle



Hard Plastic Handle

### SQUARE TROWELS

Square trowels are used where pointed trowels are not suitable and for general concrete work. Suitable for use on concrete stairs and other vertical applications. Flextool square trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool square trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available with ProSoft rubber grip handles in both closed and open style configurations.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4P1002-UNIT	Square Trowel - ProSoft Handle	120	280	6
FT4P1081-UNIT	Square Trowel - ProSoft Handle	115	405	6
FT41002O-UNIT	Square Trowel - ProSoft Open Handle	120	280	6
FT41081O-UNIT	Square Trowel - ProSoft Open Handle	115	405	6



ProSoft Handle



Open Handle

## STEEL FLOATS

Steel Floats or "Sides Up" trowels as they are sometimes referred to are used for creating a non-slip finish on the concrete surface, also known as a stippled or coved finish. They are also used for trowelling dry shake materials into the top surface of the concrete. Steel floats produce a finer texture to wood floats and are more durable and longer wearing due to their solid steel blade. Available with ProSoft rubber handle for user comfort.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT42009S-UNIT	Stainless Steel Float - ProSoft Handle	160	210	6
FT42019S-UNIT	Stainless Steel Float - ProSoft Handle	150	380	6
FT42029S-UNIT	Stainless Steel Float - ProSoft Handle	100	290	6



## MAGNESIUM FLOATS

Magnesium Floats are used in the early stages of concrete placement for working the concrete and bringing moisture to the surface. They can also be used again in the late stages of concrete finishing to create a fine textured finish similar to a steel or wood float. All Flextool magnesium floats are produced with a broken-in or curved blade and come standard with a ProSoft rubber grip for user comfort.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4P2051-UNIT	Magnesium Float - ProSoft Handle	80	405	6
FT4P2052-UNIT	Magnesium Float - ProSoft Handle	80	510	6



## WOOD FLOATS

Wood floats are used for creating a rough non-slip or textured finish on the concrete surface. Used predominately for outdoor areas such as footpaths and other pedestrian traffic applications. Available with ProSoft rubber handle for user comfort.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4P8001-UNIT	Wood Float - ProSoft Handle	112	300	6
FT4P8002-UNIT	Wood Float - ProSoft Handle	112	380	6
FT4P8024-UNIT	Wood Float - ProSoft Handle	65	600	6



## MARBLE SHEEN TROWELS

Marble Sheen trowels offer maximum blade flexibility due to their shorted blade support spine, developed initially for finishing swimming pools these tools can be used in a wide range of applications where a curved finish is required. Constructed using super flexible high carbon steel and available with ProSoft rubber handle for user comfort.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	SPIKE LENGTH (mm)	PACK QTY
FT4P1021-UNIT	Marble Sheen Trowel - ProSoft Handle	100	350	160	6
FT4P1022-UNIT	Marble Sheen Trowel - ProSoft Handle	100	450	160	6



## KNEELING BOARD

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT410209-UNIT	Concrete Kneeling Board	350	490	6



## CONCRETE EDGERS - BEVEL

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	ANGLE	BEVEL (mm)	PACK QTY
FT44013S-UNIT	Edger - ProSoft Handle	100	150	45	25	6



## CONCRETE EDGERS - BULL NOSE

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	RADIUS (mm)	DEPTH (mm)	PACK QTY
FT44001S-UNIT	Edger - ProSoft Handle	75	140	5	12	6
FT44002S-UNIT	Edger - ProSoft Handle	75	140	6	12	6
FT44003S-UNIT	Edger - ProSoft Handle	75	140	10	19	6
FT44006S-UNIT	Edger - ProSoft Handle	75	140	19	19	6
FT44008S-UNIT	Edger - ProSoft Handle	100	150	6	14	6
FT47001S-UNIT	Edger - ProSoft Handle	150	230	25	24	6
FT47002S-UNIT	Edger - ProSoft Handle	112	175	12	22	6
FT47003S-UNIT	Edger - ProSoft Handle	112	175	25	19	6
FT47006S-UNIT	Edger - ProSoft Handle	105	150	10	14	6
FT47008S-UNIT	Edger - ProSoft Handle	140	200	20	19	6



## VEE JOINTERS - STEEL

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	DEPTH (mm)	PACK QTY
FT43001S-UNIT	Vee Jointer - ProSoft Handle	75	152	10	6
FT43002S-UNIT	Vee Jointer - ProSoft Handle	150	175	12	6
FT43012S-UNIT	Vee Jointer - ProSoft Handle	150	175	20	6



## VEE JOINTERS - CAST

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	DEPTH (mm)	PACK QTY
FT4FP11A-UNIT	Vee Jointer - ProSoft Handle	75	150	10	6
FT4FP13B-UNIT	Vee Jointer - ProSoft Handle	75	150	12	6
FT4FP18E-UNIT	Vee Jointer - ProSoft Handle	75	200	25	6



## STEP TREAD TOOL - CAST

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	NO. GROOVES	PACK QTY
FT4FP19G-UNIT	Step Tread Tool - ProSoft Handle	75	150	7	6



## CONCRETE SCREED WITH LEVEL VIAL

### FEATURES

- Clamp on style handle which may be reversed to the working face for second use.
- Fitted with end plugs as well as powder coated for easy clean up.




PRODUCT CODE	DESCRIPTION	LENGTH (mm)	PACK QTY
FT4S0012-UNIT	Aluminium Concrete Screed	1200	3
FT4S0015-UNIT	Aluminium Concrete Screed	1500	3
FT4S0018-UNIT	Aluminium Concrete Screed	1800	3
FT4S0021-UNIT	Aluminium Concrete Screed	2100	3
FT4S0024-UNIT	Aluminium Concrete Screed	2400	3
FT4S0027-UNIT	Aluminium Concrete Screed	2700	3
FT4S0030-UNIT	Aluminium Concrete Screed	3000	3
FT4S0036-UNIT	Aluminium Concrete Screed	3600	3
FT4S0042-UNIT	Aluminium Concrete Screed	4200	3

## CONCRETE PLACING RAKES



PRODUCT CODE	DESCRIPTION	BLADE WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4CC011-UNIT	Concrete Placing Rake - Pull Style	500	1650	6
FT4CC013-UNIT	Concrete Placing Rake - Push/Pull Style	500	1650	6



## CONCRETE SHOVELS

PRODUCT CODE	DESCRIPTION	LENGTH (mm)	PACK QTY
FT4HGT75-UNIT	Steel D - Handle Concreters Shovel	1050	6
FT4RW025-UNIT	Steel D - Handle Concreters Shovel	1150	6



## STANDING BRACKET

PRODUCT CODE	DESCRIPTION	PACK QTY
FT40FPSB-UNIT	Standing Bracket	1



## HANDLES &amp; ADAPTORS



Telescopic Extension Handle



Telescopic Handle Adaptor



Clip Together Handle



Replacement Handle

PRODUCT CODE	DESCRIPTION	FEATURES	PACK QTY
FT4H0076-UNIT	Telescopic Extension Handle - 2.75m to 5m	Lock nut handle length adjustment	10
FT40076E-UNIT	Telescopic Extension Handle Adaptor	Removable adaptor tube	50
FT4H0588-UNIT	Clip Together Handle 1.8m	Clip together handle	50
FT42051H-UNIT	Replacement Handle - Mag & Wood Float		6

SUITABLE FOR USE WITH CLIP TOGETHER OR TELESCOPIC HANDLES  
BULLFLOATS

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4B0600-UNIT	Aluminium Bullfloat	150	600	10
FT4B0900-UNIT	Aluminium Bullfloat	150	900	10
FT4B1200-UNIT	Aluminium Bullfloat	150	1200	10
FT4B1800-UNIT	Aluminium Bullfloat	150	1800	5
FT4302SW-UNIT	Bullfloat - Replacement Tilt Mechanism	-	-	1



## FINISHING BROOMS

PRODUCT CODE	DESCRIPTION	LENGTH (mm)	BRISTLE TYPE	PACK QTY
FT4B1572-UNIT	Finishing Broom	600	Medium	10
FT4B1573-UNIT	Finishing Broom	750	Medium	10
FT4B1574-UNIT	Finishing Broom	900	Medium	10




## WALKING TOOLS

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	RADIUS (mm)	DEPTH (mm)	PACK QTY
FT4009SW-UNIT	Walking Tool - Steel Float	160	210	-	-	6
FT4019SW-UNIT	Walking Tool - Steel Float	150	380	-	-	6
FT4002SW-UNIT	Walking Tool - Edger	112	175	12	22	6
FT4702SW-UNIT	Walking Tool - Vee Jointer	150	175	-	12	6



## WALKING TROWELS

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4FW555-UNIT	Walking Trowel - Round Ends - Carbon Steel	120	600	6
FT4FW557-UNIT	Walking Trowel - Round Ends - S/Steel	120	600	6



## FRESNO TROWELS

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	LENGTH (mm)	PACK QTY
FT4FF607-UNIT	Fresno Trowel	115	600	6
FT4FF609-UNIT	Fresno Trowel	115	900	6





## BOLT CUTTERS

PRODUCT CODE	DESCRIPTION	LENGTH (mm)	PACK QTY
FT4RW094-UNIT	Bolt Cutters	750	5
FT4RW095-UNIT	Bolt Cutters	900	5



## STONING HAMMERS

PRODUCT CODE	DESCRIPTION	WEIGHT (lb)	LENGTH (mm)	PACK QTY
FT4RW033-UNIT	Stoning Hammer - F/Glass Handle - Short	4	285	6



## FLAT FLOOR TOOLS

These extruded magnesium flat floor tools are specifically designed to improve floor or pavement flatness. Each tool comes standard with three 1.8 m clip-together aluminium handles, stabilising outriggers and equalizer pitch adjusting head for precise, even control.

### BUMP CUTTER

Cuts down bumps and fills low areas after concrete slab has been floated.


### CHECK ROD

Reduces bumps and fills low areas while the concrete is still plastic.

### CHANNEL FLOAT

Use in place of traditional bull floats for flatter floors.

PRODUCT CODE	DESCRIPTION	WIDTH (mm)	HEIGHT (mm)	LENGTH (mm)	PACK QTY
FT4000BC-UNIT	Bump Cutter	3000	102	51	1
FT4000CR-UNIT	Check Rod	3000	51	102	1
FT4000CF-UNIT	Channel Float	3000	51	152	1



## HEAVY DUTY BULLFLOAT

These heavy duty bullfloats are the concrete placers workhorse. This hard wearing tool is made from the highest quality extruded material for added strength and longer life. Comes complete with H/D worm pitch drive and three 1800mm clip together handles.

PRODUCT CODE	DESCRIPTION	WEIGHT (lb)	LENGTH (mm)	PACK QTY
FT450084-UNIT	Heavy Duty Bullfloat		1200	1



## ACCESSORIES

PRODUCT CODE	DESCRIPTION	PACK QTY
FT240680-UNIT	Heavy Duty Pitch Control Mechanism	1
FTHANDLE-UNIT	Heavy Duty Clip Together Handle 50mm x 1800mm	3



## MATERIAL SPREADER

Used for spreading dry shake materials such as Sicaltop & Decorative colour hardeners

### FEATURES

- > 40kg hopper capacity
- > Adjustable spreading rate from 0.5kg/m<sup>2</sup> to 2.5kg/m<sup>2</sup>
- > Mesh roller pushes material to the surface
- > Hopper includes integrated bag breakers
- > Hand activated lever opens/closes discharge gate to start/stop material flow

PRODUCT CODE	DESCRIPTION	PACK QTY
FT4TV830-UNIT	Material Spreader	1

