



Electric

Submersible Pumps

Suitable for construction sites, underground utility maintenance, light industrial, farm and horticulture, landscaping and flood dewatering uses.



*Note: Float switch as shown is optional.

Electric Submersible Pumps




PXL52522 Electric Pump

New generation compact submersible electric pump. Versatile, compact and powerful - this pump is built tough and suitable for pumping water down to 1mm.

Features:

- Durable
- Compact design
- Adjustable flange
- Robust Tubular Chassis
- Mechanical seal
- Triple lifespan impeller



Specifications:


MODEL	WEIGHT	DIMENSIONS
PXL52522 1"(25mm)	15kg	260(L) x 260(W) x 417(H)mm
MAX FLOW	TOTAL HEAD	POWER
120 L/min	10m	220V, 50Hz

PQ55022 Electric Pump

New generation compact submersible electric pump. Versatile, compact and powerful - Built tough for construction and hire applications.

Features:

- Durable
- Compact design
- Mechanical seal
- Cast impeller



Specifications:

MODEL	WEIGHT	DIMENSIONS
PQ55022 2"(50mm)	11kg	245(L) x 205(W) x 410(H)mm
MAX FLOW	TOTAL HEAD	POWER
220 L/min	11m	220V, 50Hz

Accessories:

Suction & layflat hose, 'Camlock' fittings, PVC strainer and hose couplings.



Electric Submersible Pumps



PBX7-55022 Electric Pump


New generation compact submersible electric pump. Versatile, compact and powerful - Built tough for construction and hire applications.

Features:

- Durable
- Compact design
- Mechanical seal
- Cast impeller
- Runs extra dry
- Optional float switch*



*Note: Float switch as shown is optional.



Specifications:

MODEL	WEIGHT	DIMENSIONS
PBX7-55022 2"(50mm)	15.5kg	245(L) x 245(W) x 450(H)
MAX FLOW	TOTAL HEAD	POWER
330 L/min	15m	220V, 50Hz

Accessories:

Suction & layflat hose.



SPT Pump Product Range:

Professional, lightweight submersible pumps.



P315W
Max flow 690 L/min
Total head 17m
Single phase
Optional Float Switch



P322D
Max flow 700 L/min
Total head 23m
Three phase 2.2kW



P437D
Max flow 1400 L/min
Total head 18.5m
Three phase 3.7kW



P455D
Max flow 1900 L/min
Total head 23m
Three phase 5.5kW

Product Range



Clean Water

General all-purpose pumps. Sizes 1" (25mm), 2" (50mm), 3" (75mm) and 4" (100mm). Petrol and diesel models available.



SEH-25L 1" (25mm)
Max flow 115 L/min
Total head 32m



SEH-40H 1½" (40mm)
Max flow 280L/min
Total head 43M



SEH50X 2" (50mm)
Max flow 640 L/min
Total head 27m



SEH80X 3" (75mm)
Max flow 1100 L/min
Total head 27m



SE100XD 4" (100mm) Diesel Powered
Max flow 1100 L/min
Total head 24m
Subaru Diesel Engine

Semi-Trash

For solids up to 20mm diameter.
Petrol and diesel models.



STH-50X 2" (50mm)
Max flow 600 L/min
Total head 29m



STH-80X 3" (75mm)
Max flow 900 L/min
Total head 26m

Full-Trash

For solids 20mm up to 35mm. Petrol models.



KTH-50X 2" (50mm)
Max flow 700 L/min
Total head 30m



KTH-80X 3" (75mm)
Max flow 1340 L/min
Total head 27m



KTH-100X 4" (100mm)
Max flow 1650 L/min
Total head 26m

PARTS AND SERVICE

We are proud of the back-up service we offer to customers.

The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.

High-Head


For sprinklers & firefighting and water transfer to high places.




SERH50
Max flow 431 L/min
Total head 80m

Diaphragm

Self-priming. Can be run dry.



KDP-50X 2" (50mm)
Max flow 197 L/min
Total head 7.6m



KDP-80X 3" (75mm)
Max flow 333 L/min
Total head 7.6m

Pump Accessories

Suction & layflat hose, 'Camlock' fittings, PVC strainer and hose couplings.

