

Electric

# Submersible Pumps

Suitable for construction sites, underground utility maintenance, light industrial, farm and horticulture, landscaping and flood dewatering uses.



# Electric Submersible Pumps




## PXL52522 Electric Pump

New generation compact submersible electric pump. Versatile, compact and powerful - this pump is built tough and suitable for pumping water down to 1mm.

### Features:

- Durable
- Compact design
- Adjustable flange
- Robust Tubular Chassis
- Mechanical seal
- Triple lifespan impeller



### Specifications:


MODEL	WEIGHT	DIMENSIONS
PXL52522 1"(25mm)	15kg	260(L) x 260(W) x 417(H)mm
MAX FLOW	TOTAL HEAD	POWER
120 L/min	10m	220V, 50Hz

## PQ55022 Electric Pump

New generation compact submersible electric pump. Versatile, compact and powerful - Built tough for construction and hire applications.

### Features:

- Durable
- Compact design
- Mechanical seal
- Cast impeller



### Specifications:

MODEL	WEIGHT	DIMENSIONS
PQ55022 2"(50mm)	11kg	245(L) x 205(W) x 410(H)mm
MAX FLOW	TOTAL HEAD	POWER
220 L/min	11m	220V, 50Hz

### Accessories:

Suction & layflat hose, 'Camlock' fittings and hose couplings.



# Electric Submersible Pumps




## PBX7-55022 Electric Pump

New generation compact submersible electric pump. Versatile, compact and powerful - Built tough for construction and hire applications.

### Features:

- Durable
- Compact design
- Mechanical seal
- Cast impeller
- Optional float switch\*



\*Note: Float switch as shown is optional.

### Specifications:

MODEL	WEIGHT	DIMENSIONS
PBX7-55022 2"(50mm)	15.5kg	245(L) x 245(W) x 450(H)
MAX FLOW	TOTAL HEAD	POWER
330 L/min	15m	220V, 50Hz

### Accessories:

Suction & layflat hose.



### SPT Pump Product Range:

Professional, lightweight submersible pumps.



**P315W**  
Max flow 690 L/min  
Total head 17m  
Single phase



**P322D**  
Max flow 700 L/min  
Total head 23m  
Three phase 2.2kW



**P437D**  
Max flow 1400 L/min  
Total head 18.5m  
Three phase 3.7kW



**P455D**  
Max flow 1900 L/min  
Total head 23m  
Three phase 5.5kW

# Product Range



## Clean Water

General all-purpose pumps. Sizes 1" (25mm), 2" (50mm), 3" (75mm) and 4" (100mm). Petrol and diesel models available.



SEH-25L 1" (25mm)  
Max flow 115 L/min  
Total head 32m



SEH-40H 1½" (40mm)  
Max flow 280 L/min  
Total head 43m



SEH50X 2" (50mm)  
Max flow 640 L/min  
Total head 27m



SEH80X 3" (75mm)  
Max flow 1100 L/min  
Total head 27m



SEY-100D 4" (100mm) Diesel Powered  
Max flow 1250 L/min  
Total head 28m  
Yanmar Diesel Engine

## Semi-Trash

For solids up to 20mm diameter.



STH-50X 2" (50mm)  
Max flow 600 L/min  
Total head 29m



STH-80X 3" (75mm)  
Max flow 900 L/min  
Total head 26m

## Full-Trash

For solids 20mm up to 35mm. Petrol models.



KTH-50X 2" (50mm)  
Max flow 700 L/min  
Total head 30m



KTH-80X 3" (75mm)  
Max flow 1340 L/min  
Total head 27m



KTH-100X 4" (100mm)  
Max flow 1650 L/min  
Total head 26m

## PARTS AND SERVICE

We are proud of the back-up service we offer to customers.

The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.

## High-Head


For sprinklers & firefighting and water transfer to high places.



SERH-50Z  
Max flow 500 L/min  
Total head 90m

## Diaphragm

Self-priming. Can be run dry.



KDP-50X 2" (50mm)  
Max flow 197 L/min  
Total head 7.6m



KDP-80X 3" (75mm)  
Max flow 333 L/min  
Total head 7.6m

## Pump Accessories

Suction & layflat hose, 'Camlock' fittings, PVC strainer and hose couplings.



**Auckland, Head Office**  
6-10 Parkway Drive,  
Mairangi Bay,  
Auckland  
(+64) 09 443 2436  
sales@yrco.co.nz

**Auckland, Mt Wellington**  
20L Sylvia Park Road,  
Mt Wellington,  
Auckland  
(+64) 09 553 5470  
salesmtwell@yrco.co.nz

**Wellington**  
8 Broken Hill Road,  
Porirua,  
Wellington  
(+64) 04 212 2456  
saleswell@yrco.co.nz

**Christchurch**  
20 Nga Mahi Road,  
Sockburn,  
Christchurch  
(+64) 03 341 6923  
saleschch@yrco.co.nz



**YR Youngman  
Richardson**